

This is an official MS Health Alert Network (HAN) Alert

MESSAGE ID: MSHAN-20200602-00450-ALT (Health Alert)

RECIPIENTS: All Physicians, Hospitals, ERs, ICPs, NPs, and

Healthcare Providers - Statewide

Tuesday, June 2, 2020

SUBJECT: Remdesivir Available to Mississippi Hospitals by

Request from the Mississippi Public Health Pharmacy for Treatment in Targeted Patients

Dear Colleagues,

The Mississippi State Department of Health Public Health Pharmacy has received limited doses of the medication Remdesivir for distribution and utilization in certain hospitalized patients with confirmed or suspected COVID-19.

Under an FDA Emergency Use Authorization (EUA), Remdesivir is recommended for use in adults and children hospitalized with severe disease. Severe disease is defined as patients with an oxygen saturation (SpO2) \leq 94% on room air or requiring supplemental oxygen or requiring mechanical ventilation or requiring extracorporeal membrane oxygenation (ECMO).

MSDH is making this medication available to hospitals for use in patients meeting the above criteria. Ideally, hospitals will determine their needs in advance based on prior admissions that meet these criteria in order to have this medication on hand when the patient is admitted or deemed a candidate for Remdesivir. Hospitals may also request Remdesivir from the Public Health Pharmacy on an as needed basis for individual patients, with expected shipment to the hospital within 48 hours of request.

Requesting Remdesivir for your Hospital

- The request should be coordinated between your hospital pharmacy and the MSDH Public Health Pharmacy. A point-of-contact for your hospitals will need to be provided to meg.pearson@msdh.ms.gov and lindsay.patrick@msdh.ms.gov
- Requests should include the quantity of 100-mg vials and number of 5-day and number of 10-day treatment courses anticipated to be administered at your facility.
- The doses distributed to requesting hospitals will be subject to the availability of the product at the time of request.
- Hospital pharmacies will need to
 - Segregate storage and develop inventory accountability record
 - Ensure patient selection criteria for treatment is being followed



• Determine integration of treatment orders into hospital electronic medical record (EMR)

Hospitals must also agree to the following:

- Submit a written protocol for your facility to MSDH with criteria for when and how this medication is to be utilized in compliance with the EUA.
- Comply with all requirements identified within the FDA EUA (attached) to include reporting of adverse events as outlined in the document.
- A commitment to use the medication for appropriate patients regardless of age, sex, race, ethnicity or disability.
- Patients may not be charged for the Remdesivir
- Submission of data to MSDH in the future.

Please call the MSDH Public Health Pharmacy with questions at 601-713-3457.

Resources:

Remdesivir EUA Letter of Authorization https://www.fda.gov/media/137566/download Remdesivir Pharmacy Guide with dosing information

https://www.remdesivir.com/us/downloads/remdesivir_pharmacy_guide.pdf

Remdesivir Fact Sheet for Health Care Providers https://www.fda.gov/media/137566/download

Remdesivir Fact Sheet for Patient and Parent/Caregivers

https://www.fda.gov/media/137565/download;

Remdesivir Fact Sheet for Patient and Parent/Caregivers (Spanish language)

https://www.gilead.com/-/media/files/pdfs/remdesivir/eua-fact-sheet-for-patients-and-caregivers spanish-

language_12may2020.pdf?la=en&hash=D7B0CB181773DE3AFB8518FAEFFA0E8E

Regards, Paul Byers, MD State Epidemiologist



Alerting Message Specification Settings

Originating Agency: Mississippi State Department of Health Alerting Program: MS Health Alert Network (MS HAN)
Message Identifier: MSHAN-20200602-00450-ALT

Program (HAN) Type: Health Alert
Status (Type): Actual ()
Message Type: Alert

Reference: MSHAN-00450

Severity: Unknown

Acknowledgement: No

Sensitive:Not SensitiveMessage Expiration:UndeterminedUrgency:UndeterminedDelivery Time:600 minutes

Definition of Alerting Vocabulary and Message Specification Settings

Originating Agency: A unique identifier for the agency originating the alert.

Alerting Program: The program sending the alert or engaging in alerts and

communications using PHIN Communication and Alerting (PCA)

as a vehicle for their delivery.

Message Identifier: A unique alert identifier that is generated upon alert activation

 $(MSHAN-yyymmdd-hhmm-TTT\ (\textbf{ALT=Health\ Alert},$

ADV=Health Advisory, UPD=Health Update,

MSG/INFO=Message/Info Service).

Program (HAN) Type: Categories of Health Alert Messages.

Health Alert: Conveys the highest level of importance; warrants immediate

action or attention.

Health Advisory: Provides important information for a specific incident or situation;

may not require immediate action.

Health Update: Provides updated information regarding an incident or situation;

unlikely to require immediate action.

Health Info Service: Provides Message / Notification of general public health

information; unlikely to require immediate action.

Status (Type):

Actual: Communication or alert refers to a live event Exercise: Designated recipients must respond to the

communication or alert

Test: Communication or alert is related to a technical,

system test and should be disregarded



Message Type:

Alert: Indicates an original Alert

Update: Indicates prior alert has been Updated and/or superseded

Cancel: Indicates prior alert has been cancelled Error: Indicates prior alert has been retracted

Reference: For a communication or alert with a Message Type of "Update" or "Cancel", this attribute contains the unique Message Identifier of the original communication or alert being updated or cancelled. "n/a" = Not Applicable.

Severity:

Extreme: Extraordinary threat to life or property
Severe: Significant threat to life or property
Moderate: Possible threat to life or property
Minor: Minimal threat to life or property
Unknown: Unknown threat to life or property

Acknowledgement: Indicates whether an acknowledgement on the part of the recipient is required to confirm that the alert was received, and the timeframe in which a response is required (Yes or No).

Sensitive:

Sensitive: Indicates the alert contains sensitive content

Not Sensitive: Indicates non-sensitive content

Message Expiration: Undetermined.

Urgency: Undetermined. Responsive action should be taken immediately.

Delivery Time: Indicates the timeframe for delivery of the alert (15, 60, 1440,

4320 minutes (.25, 1, 24, 72 hours)).